

Practical Gynecology, 2nd Edition – Chapter 11 References

1. **Shaw RW.** Atlas of Endometriosis. New York: Partheon Publishing Group;1993:25.
2. **Guzik DS.** Clinical epidemiology of endometriosis and infertility. *Obstet Gynecol Clin North Am.* 1989;16:43.
- *3. **Barbieri RL.** Etiology and epidemiology of endometriosis. *Am J Obstet Gynecol.* 1990;162:565.
4. **Cramer DW, Wilson E, Stillman RJ, et al.** The relation of endometriosis to menstrual characteristics, smoking and exercise. *JAMA.* 1986; 225:1904-8.
5. **Simpson JL, Elias S, Malinak LR, Buttram VC.** Heritable aspects of endometriosis. I. Genetic studies. *Am J Obstet Gynecol.* 1980;137:327.
6. **Malinak LR, Buttram VC, Elias S, Simpson JL.** Heritable aspects of endometriosis. II. Clinical characteristics of familial endometriosis. *Am J Obstet Gynecol.* 1980;137:337.
7. **Sampson JA.** Peritoneal endometriosis due to menstrual dissemination of endometrial tissue into peritoneal cavity. *Am J Obstet Gynecol.* 1927;14:422.
8. **Gruenwald P.** Origin of endometriosis from the mesenchyme of the coelomic walls. *Am J Obstet Gynecol.* 1942;44:470.
9. **Hill JA, Faris HMP, Schiff I.** Characterization of leukocyte subpopulations in the peritoneal fluid of women with endometriosis. *Fertil Steril.* 1988; 50:216.
10. **Moen MH.** Endometriosis in monozygotic twins. *Acta Obstet Gynecol Scand.* 1994;73:59.
- *11. **Lessey BA, Castelbaum AJ, Swain SW, et al.** Aberrant integrin expression in the endometrium in women with endometriosis. *J Clin Endocrinol Metab.* 1994;79:643.
12. **Rier SE, Martin DC, Bowman RE, et al.** Endometriosis in rhesus monkeys (*Macaca mulatto*) following chronic exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Fundam Appl Toxicol.* 1983;21:433.
- *13. **Bois FY, Eskenazi B.** Possible risk of endometriosis for Seveso, Italy residents: an assessment of exposure to dioxin. *Environ Health Perspect.* 1994;102:476.
14. **Safe S, Astroff B, Harris M, et al.** 2,3,7,8 – Tetrachlorodibenzo-p-dioxin (TCDD) and related compounds as antiestrogens: characterization and mechanism of action. *Pharmacol Toxicol.* 1991;69:400.

15. **Kressin P, Wolber EM, Wodrich H, et al.** Vascular endothelial growth factor mRNA in eutopic and ectopic endometrium. *Fertil Steril.* 2001;76:1220.
16. **Schwartz D, Mayaux MJ.** Female fecundity as a function of age: results of artificial insemination in 2193 nulliparous women with azoospermic husbands. *Federation CECOS. N Engl J Med.* 1982;306:404.
- *17. **Hughes EG, Fedorkow DM, Collins JA.** A quantitative overview of controlled trials in endometriosis-associated infertility. *Fertil Steril.* 1993; 59:963-70.
18. **Counsellor VS.** Endometriosis. A clinical and surgical review. *Am J Obstet Gynecol.* 1938;36:877.
19. **Schenken RS, Asch RH, William RF, Hodgen GD.** Etiology of infertility in monkeys with endometriosis: luteinized unruptured follicles, luteal phase defects, pelvic adhesions and spontaneous abortions. *Fertil Steril.* 1984; 41:122.
20. **Suginami H, Yano K.** An ovum capture inhibitor (OCI) in endometriosis peritoneal fluid: an OCI-related membrane responsible for fimbrial failure of ovum capture. *Fertil Steril.* 1988;50:648.
- *21. **Lebovic DI, Mueller MD, Taylor RN.** Immunobiology of endometriosis. *Fertil Steril.* 2001;75:1.
22. **Genbacev OD, Prakobphol, Foulk RA, et al.** Trophoblast L-selectin-mediated adhesion at the maternal-fetal interface. *Science.* 2003;299:405.
- *23. **Marcoux S, Maheux R, Berube S.** Laparoscopic surgery in infertile women with minimal or mild endometriosis. Canadian Collaborative Group on Endometriosis. *N Engl J Med.* 1997;337:217.
- *24. **Parazzini F.** Ablation of lesions or no treatment in minimal or mild endometriosis in infertile women: a randomized trial. Gruppo Italiano per lo Studio dell' Endometriosi. *Hum Reprod.* 1999;14:1322.
25. **Schenken RS.** Modern concepts of endometriosis. Classification and its consequences for therapy. *J Reprod Med.* 1998;43:269.
26. **Al-Inany HG, Crosignani PG, Vercellini P.** Evidence may change with more trials: concepts to be kept in mind [letters]. *Hum Reprod.* 2000; 15:2447.
27. **Olive DL, Henderson DY.** Endometriosis and Müllerian anomalies. *Obste Gynecol.* 1987;69:412.
28. **Pittaway DE.** CA-125 in women with endometriosis. *Obstet Gynecol Clin N Am.* 1989;16:237.

- *29. **Pittaway DE, Rondinone D, Miller KA, Barnes K.** Clinical evaluation of CA-125 concentrations as prognostic factor for pregnancy in infertile women with surgically treated endometriosis. *Fertil Steril.* 1995;64:321.
- *30. **Bazot M, Bornier C, Dubernard G, et al.** Accuracy of magnetic resonance imaging and rectal endoscopic sonography for the prediction of location of deep pelvic endometriosis. *Hum Reprod.* 2007;22:1457.
- *31. **Martin DC, Hubert GD, Vander Zwaag R, et al.** Laparoscopic appearances of peritoneal endometriosis. *Fertil Steril.* 1989;51:63.
32. **Donnez J, Gillet N, Nisolle M, et al.** Peritoneal endometriosis and “endometriotic” nodules of the rectovaginal septum are two different entities. *Fertil Steril.* 1996; 66:362.
33. **American Society for Reproductive Medicine.** Revised American Society for Reproductive Medicine classification of endometriosis:1996. *Fertil Steril.* 1997;67:817.
34. **Davey AK, Maher PJ.** Surgical adhesions: a timely update, a great challenge for the future. *J Minim Invasive Gynecol.* 2007;14:15.
35. **Maran R, CaruanaP, Muzii L, et al.** Operative laparoscopy for ovarian cysts. Excision versus aspiration. *J Reprod Med.* 1996;41:435.
- *36. **Berker B, Lashay N, Davarpanah R, et al.** Laparoscopic appendectomy in patients with endometriosis. *J Minim Invasive Gynecol.* 2005;12:206.
- *37. **Kikuchi I, Takeuchi H, Kitade M, et al.** Recurrence rate of endometriosis following a laparoscopic cystectomy. *Acta Obstet Gynecol Scand.* 2006;85:1120.
- *38. **Zullo E, Palomba S, Zupi E, et al.** Effectiveness of presacral neurectomy in women with severe dysmenorrhea caused by endometriosis who were treated with laparoscopic conservative surgery: a 1-year prospective randomized double-blind controlled trial. *Amer J Obstet Gynecol.* 2003; 189:5. *This controlled trial compared the effectiveness of excision of endometriosis plus presacral neurectomy versus excision of lesions alone. Participants were evaluated at 6 and 12 months. At both time intervals, relief of dysmenorrhea was superior for the women randomized to dual treatment.*
- *39. **Johnson NP, Farquhar CM, Crossley S, et al.** A double-blind randomized controlled trial of laparoscopic uterine nerve ablation for women with chronic pelvic pain. *BJOG.* 2004; 111:950.
- *40. **Sutton CJ, Ewen SP, Whitelaw N, Haines P.** Prospective, randomized double-blind controlled trial of laser laparoscopy in the treatment of pelvic pain associated with minimal, mild and moderate endometriosis. *Fertil Steril.* 1994; 62:696. *This randomized controlled study evaluated 63 women who had pelvic pain suggestive of endometriosis and were advised to undergo laparoscopy. The intervention group underwent laser vaporization of all visible endometriotic implants and adhesions, as well as a uterine nerve transection. The control group underwent diagnostic laparoscopy alone. At 6*

months, greater improvement in pain scores was seen in the intervention group (OR 4.97, 95% CI 1.85 to 13.9).

*41. **Vercellini P, Trespidi L, Colombo A, et al.** A gonadotropin-releasing hormone agonist versus a low-dose oral contraceptive for pelvic pain associated with endometriosis. *Fertil Steril.* 1993; 60:75. *This randomized, nonblinded controlled study compared medical treatments in 57 women with laparoscopically confirmed endometriosis and severe pain. Half of the women received a GnRH agonist and the other half a cyclic low dose monophasic oral contraceptive (ethinyl estradiol 0.02 mg/desogestrel 0.15 mg). At 6 months, dyspareunia, dysmenorrhea, and overall pain were reduced equally in the two groups.*

*42. **Vercellini P, DeGiorgi O, Oldani S, et al.** Depot medroxyprogesterone acetate versus an oral contraceptive combined with very-low-dose danazol for long-term treatment of pelvic pain associated with endometriosis. *Am J Obstet Gynecol.* 1996; 175:396. *This study compared women with endometriosis treated with depot medroxyprogesterone acetate 150 mg every 3 months with a combined treatment consisting of an extra low-dose oral contraceptive pill (ethinyl estradiol 20 mcg/desogestrel 0.15 mg) together with low dose danazol 50 mg. At the 12 month assessment, significant improvement was seen in all parameters in both groups. Dysmenorrhea was reported less in the depot medroxyprogesterone group, due to the absence of regular menstrual flow. Overall, more women in this group were satisfied with their treatment.*

*43. **Overton CE, Linsay PC, Johal B.** A randomized, double-blind, placebo controlled study of luteal phase dehydrogesterone (Duphaston) in women with minimal to mild endometriosis. *Fertil Steril.* 1994; 62:701.

*44. **Vercellini P, Frontino G, De Giorgi O, et al.** Comparison of a levonorgestrel-releasing intrauterine device versus expectant management after conservative surgery for symptomatic endometriosis: a pilot study. *Fertil Steril.* 2003; 80:305. *This study was an open-label but randomized trial comparing the levonorgestrel-releasing IUD (Lng-UID) with expectant management following operative laparoscopy. The study involved 40 parous women, age 41 years or older, who had completed childbearing and were undergoing their first laparoscopy for chronic pelvic pain and endometriosis. The IUD significantly reduced the risk of recurrent moderate or severe dysmenorrhea.*

*45. **Henzl MR.** Gonadotropin-releasing hormone (GnRH) agonists in the management of endometriosis: a review. *Semin Reprod Endocrinol.* 1987; 31:840.

*46. **Surrey ES, Hornstein MD.** Prolonged GnRH agonist and add-back therapy for symptomatic endometriosis: a long-term follow-up. *Obstet Gynecol.* 2002; 99:709.

47. **Allen JK, Fraser IS.** Cholesterol, high density lipoprotein and danazol. *J Clin Endocrinol Metab.* 1981; 53:149.

*48. **Dawood MY, Lewis V, Ramos J.** Cortical and trabecular bone content in women with endometriosis: effect of gonadotropin-releasing hormone agonist and danazol. *Fertil Steril.* 1984; 42:709.

*49. **Bulun SE, Fang Z, Imir G, et al.** Aromatase and endometriosis. *Semin Reprod Med.* 2004; 22:45.

*50. **The Gestrinone Italian Study Group.** Gestrinone versus a gonadotropin releasing hormone agonist for the treatment of pelvic pain associated with endometriosis: a multicenter, randomized, double-blind study. *Fertil Steril.* 1996; 66:911.

*51. **Chwalisc K, Perez MC, Demanno D, et al.** Selective progesterone receptor modulator development and use in the treatment of leiomyoma and endometriosis. *Endocr Rev.* 2005; 26:423.