

## Practical Gynecology, 2<sup>nd</sup> Edition – Chapter 12 References

1. **Mathias, SD, Kuppermann, M, Liberman, RF, et al.** Chronic pelvic pain: prevalence, health-related quality of life, and economic correlates. *Obstet Gynecol.* 1996;87:321-7.
2. **Jamieson, DJ, Steege, JF.** The prevalence of dysmenorrheal, dyspareunia, pelvic pain, and irritable bowel syndrome in primary care practices. *Obstet Gynecol.* 1996;87:55-8.
3. **Guo, SW, Wang, Y.** The prevalence of endometriosis in women with chronic pelvic pain. *Gynecol Obstet Invest.* 2006;62:121-30.
4. **Foong, LC, Gamble, J, Sutherland, IA, et al.** Microvascular changes in the peripheral microcirculation of women with chronic pelvic pain due to congestion. *British Jo. Obstet Gynaecol: and International Jo. OfObstet and Gynaecol.* 2002; 109: 867-73.
- \*5. **Rapkin AJ.** Adhesions and Pelvic Pain: A retrospective study, *Obstet Gynecol* 1986;68:13-15. *Comparison of pelvic adhesion findings during laparoscopy for chronic pelvic pain and for asymptomatic infertility patients failed to show a role for adhesions as a cause for pain regardless of density or location.*
- \*6. **Swank, DJ, Swank-Bordewijk, SCG, Hop, WCJ, et al.** Laparoscopic adhesiolysis in patients with chronic abdominal pain: a blinded randomize controlled multi-centre trial. *Lancet.* 2003;361:1247–51. *Laparoscopic adhesiolysis is not more effective than diagnostic laparoscopy at relieving chronic abdominal pain.*
7. **Hammoud, A, Gago, LA, Diamond, MP.** Adhesions in patients with chronic pelvic pain: a role for adhesiolysis? *Fertil Steril.* 2004;86:1483-91.
8. **Fayez JA, Clark RR.** Operative laparoscopy for the treatment of localized chronic pelvic abdominal pain caused by postoperative adhesions. *J Gynecol Surg.* 1994;10:79-83.
- \*9. **Sexually Transmitted Diseases Treatment Guidelines---2002.** Centers for Disease Control and Prevention. *MMWR.* 2002.
- \*10. **Howard FM.** The role of laparoscopy in chronic pelvic pain: promise and pitfalls. *Obstet Gynecol Survey.* 1993;48:357.
- \*11. **Evans, RJ, Sant, GR.** Current diagnosis of interstitial cystitis: an evolving paradigm. *Urology.* 2007;69(4 Suppl):64-72.
12. **FitzGerald, MP, Kotarinos, R.** Rehabilitation of the short pelvic floor-I: Background and patient evaluation. *Int Urogynecol J.* 2003; 14:261–68. Physical therapy techniques can play a critical role in the treatment of chronic pelvic pain due to short, painful, and/or hypertonic pelvic floor muscles.

- \*13. **Slocurnb JC.** Neurological factors in chronic pelvic pain: trigger points and the abdominal pelvic pain syndrome. *Am J Obstet Gynecol.* 1984;149:536.
14. **Silver DS, Wallace DJ.** The management of fibromyalgia-associated syndromes. *Rheum Dis Clinics of N Am.* 2002;28:
- \*15. **Rapkin AJ, Kames LD, Darke LL, et al.** History of physical and sexual abuse in women with chronic pelvic pain. *Obstet Gynecol.* 1990;76:92.
16. **Bodden-Heidrich, R, Kupperts, V, Beckmann, MW, et al.** Chronic pelvic pain syndrome and chronic vulvar pain syndrome: evaluation of psychosomatic aspects. *J Psychosom Obstet Gynaecol.* 1999;20:14–51.
17. **Reed, BD, Haefner, HK, Punch, MR, et al.** Psychosocial and sexual functioning in women with vulvodynia and chronic pelvic pain. A comparative evaluation. *J Reprod Med.* 2000; 45(8):624-32.
- \*18. **Lampe, A, Doering, S, Rumpold, G, et al.** Chronic pain syndromes and their relation to childhood abuse and stressful life events. *J Psychosom Res.* 2003;54:361–67. *Childhood sexual abuse is related to depression and an increased occurrence of stressful life events. These early experiences can lead to a feeling of victimization and vulnerability leading to poor coping and functional pain syndromes.*
19. **Lampe, A, Solder, E, Ennemoser, A, et al.** Chronic pelvic pain and previous sexual abuse. *Obstet Gynecol.* 2000;96:929-33.
- \*20. **Lorencatto, C, Petta, CA, Navarro, MJ, et al.** Depression in women with endometriosis with and without chronic pelvic pain. *Acta Obstet Gynecol Scand.* 2006; 85:88–92.
21. **Rapkin AJ, Reading AE.** Chronic pelvic pain. *Curr Probl Obstet Gynecol Fertil.* 1991;14:105.
- \*22. **Keefe, FJ, Rumble, ME, Scipio, CD, et al.** Psychological aspects of persistent pain: Current state of science. *Jol of Pain, Turic Impact Group* 2004;5:195–211.
- \*23. **Raphael, KG, Widom, CS, Lange, G.** Childhood victimization and pain in adulthood: a prospective investigation. *Pain.* 2001; 92:283–93.
24. **Bajaj, P, Bajaj P, Madsen, H, et al.** Endometriosis is associated with central sensitization: a psychophysical controlled study. *J of Pain.* 2003; 4(7): 372–80. *Endometriosis results in generalized hyperexcitability of the nociceptive system and central sensitization likely through an ineffective descending antinociceptive system due to chronic noxious stimuli.*
- \*25. **Wesselmann, U.** Neurogenic inflammation and chronic pelvic pain. *World J Urol.* 2001;19: 180–185.

- \*26. **Peters AAW, Von Dorst E, Jellis B, et al.** A randomized clinical trial to compare two different approaches in women with chronic pelvic pain. *Obstet Gynecol.* 1991;77:740.
- \*27. **Srinivasan, R, Greenbaum, DS.** Chronic abdominal wall pain: a frequently overlooked problem. Practical approach to diagnosis and management. *Am J Gastroenterol.* 2002; 97: 824-30. *Nerve entrapment is a common cause of abdominal wall pain which can be effectively managed with simple anesthetic and/or corticosteroid injections. These injections bring prolonged relief to more than 75% of patients.*
- \*28. **Milburn A, Reiter RC, Rhomberg AT.** Multidisciplinary approach to chronic pelvic pain. *Obstet Gynecol Clin North Am.* 1993;20:643.
29. **Engel CC, Walker EA, Engel AL, et al.** A randomized, double-blind crossover trial of sertraline in women with chronic pelvic pain. *J Psychosom Res.* 1998;44:203-7.
30. **Atkinson JH, Slater MA, Capparelli EV, et al.** Efficacy of noradrenergic and serotonergic antidepressants in chronic back pain: a preliminary concentration-controlled trial. *J Clin Psychopharmacol* 2007;27:135-42.
31. **Jones, KD, Sutton, C.** Patient satisfaction and changes in pain scores after ablative laparoscopic surgery for stage III-IV endometriosis and endometriotic cysts. *Fert Steril.* 2003; 79:1086–90.
32. **El-Toukhy, TA, Hefni, M, Davies, A, et al.** The effect of different types of hysterectomy on urinary and sexual functions: a prospective study. *J Obstet Gynaecol.* 2004;24:420–5.
- \*33. **Feler, CA, Whitworth, LA, Fernandez, J.** Sacral neuromodulation for chronic pain conditions. *Anes Clinics Nor Am.* 2003;21(4).
- \*34. **Proctor, ML, Latthe, PM, Farquhar, CM, et al.** Surgical interruption of pelvic nerve pathways for primary and secondary dysmenorrhoea. *Cochrane Database Syst Rev.* 2005 Oct 19;(4).