

IMMUNIZATION AND COMMUNICATION:

HOW TO DEAL WITH VACCINE HESITANT AND ANTI-VACCINE FAMILIES IN A FACT-RESISTANT WORLD.



Robert H. Hopkins, Jr., MD, MACP, FAAP
Professor of Internal Medicine and Pediatrics
UAMS College of Medicine



"In 1736 I lost one of my sons, a fine boy of four years old, by the small pox. I long regretted bitterly, and still regret that I had not given it to him by inoculation. This I mention for the sake of parents who omit that operation, on the supposition that they should never forgive themselves if a child died under it; my example showing that the regret may be the same either way, and that, therefore, the safer should be chosen."

Benjamin Franklin

<http://www.history.com/topics/american-revolution/benjamin-franklin>



COI STATEMENT/DISCLAIMER

The case for vaccines vs The case against



1. I believe in evidence-based medicine and in science.
2. Based on #1, I believe in the value of vaccines and vaccination.
3. I practice medicine based on the oaths and promises I have made as a student and a practicing physician- to **FIRST** do not harm.
4. I have vaccinated myself, my family members and my patients based on premises 1, 2 and 3...

I have no **financial** conflicts of interest.



Mr. Jones is a 43 year old local junior high Science teacher. He made a same day appointment to see you because his Internist is not available. He is requesting antibiotics 'at the direction of the Health Department' because of an outbreak of Pertussis in his school (12 of his 29 students have been absent due to illness).

He tells you that he is annoyed because your medical assistant insisted he wear a mask for the duration of his visit to your office and he is in a rush to get his son to a doctor's appointment (same reason)...

He has had cough for the past 3 months which he attributed to 'allergies.'
He has had a few episodes of post-tussive emesis. He has had no fever, chills, NVD.
He smokes ¼ PPD cigarettes (cut down as he can no longer smoke on campus).
He had 'asthma in childhood,' but has not had symptoms in years.
His vitals are normal and his physical examination is only notable for clear rhinorrhea.
He does not accept vaccines 'because he is healthy.'

What additional information would you like to know about his views on vaccines?

How would you address his vaccination beliefs?

What do you recommend for Mr. Jones today re: vaccination?

Image from Baylor Lariat [Editorial] 4/13/2014



OBJECTIVES

- Understand the differences between vaccine hesitant and anti-vaccine
- Develop strategies to assess vaccine hesitant patients/parents
- Develop communication strategies to address vaccine hesitant patients
- Apply strategies to common adult immunization scenarios



VOCAL OPPONENTS OF VACCINATION HAVE BEEN AROUND FOR AS LONG AS VACCINES...

- Dr. Edward Jenner (1749 – 1823) published *An Inquiry into the Causes and Effects of the Variolae Vaccinae, or Cow Pox* in 1798.
 - Antivaccination protests and individual objections- see Franklin comment...
- Vaccination Act of 1853 and 1857 [England] mandating child vax...
 - Anti Vaccination League and the Anti-Compulsory Vaccination League founded
- Anti Vaccination Society of America founded in 1879
 - American anti-vaccinationists waged court battles to repeal vaccination laws in several states including California, Illinois, and Wisconsin
- 1902: Smallpox outbreak >> Cambridge, MA mandates all residents be vaccinated
 - Resident Henning Jacobson refused [asserted violation of right to care for his own body] City filed criminal charges- Jacobson lost, appealed to U.S. Supreme Court. 1905, Court found in state's favor.
 - This was the first U.S. Supreme Court case concerning the power of states in public health law.

<https://www.historyofvaccines.org/content/articles/history-anti-vaccination-movements>



VOCAL OPPONENTS OF VACCINATION HAVE BEEN AROUND FOR AS LONG AS VACCINES...

- 1970-80's British and US DTP Controversy
 - Studies: Low risk neuro injury but nonetheless drive some Mfg'r out of business.
- National Childhood Vaccine Injury Act 1986
 - Established National Vaccine Program Office and Advisory Committee
 - Requires providers to provide VIS to all who are vaccinated
 - Requires reporting of certain vaccine injuries to VAERS
 - National Vaccine Injury Compensation Program established
 - Institute of Medicine review of vaccine reactions
- 1998 Wakefield MMR 'study'
 - Since proven fraudulent, license revoked.
 - Continues to preach antivaccine message
- Increasing anti-vaccine sentiment in US (Worldwide?) over past 20 years...
 - Unfortunately, Physicians are not universally supportive...

<https://www.historyofvaccines.org/content/articles/history-anti-vaccination-movements>



COMMON 21ST CENTURY ANTI-VAX THEMES

- Overloaded Immune System
- Diseases [Polio, others] have disappeared= no need...
better, *no reason to take any risk* by vaccinating...
- More vaccinated than unvaccinated people get sick
- Vaccines are not tested for safety...
Or are unsafe (look at package insert or VAERS!!)
- 'Hygiene and better nutrition are responsible for reduction in disease, not vaccines!!'
- Natural immunity is superior to vaccine-induced immunity

"There is good scientific evidence to refute all of these; but time is limited and all of us need to 'pick our battles.' My recommendation is to focus your efforts on those families you have a reasonable likelihood to be able to help..." RHH

<https://www.historyofvaccines.org/content/articles/misconceptions-about-vaccines>





A lot of these groups are insisting that I present both sides of the argument, and I'm not going to do that either, well for the same reason I wouldn't present both sides if a group of decided that pancakes make you gay. They don't- and there's no point in discussing it.

If you genuinely believe that 99% of the doctors in this country are dishonest, then you need to see a doctor, ironically.

Via Refutations to Anti-Vaccine Memes



CRITICAL CONCEPTS

- Vaccine hesitancy *next slides*
- 'Anti-vaxxers' [hard-core, 'evangelical' anti-vaccine proponents]
- Community immunity *coming soon*
- Heuristics [Mental shortcuts- can lead to biased decisions]
- Biases
 - Availability [most available mental information is used for decision making]
 - Omission [fearfully avoid action with small risk in lieu of inaction with greater risk]
 - Confirmation [actively seek out information to confirm our beliefs]
- Motivated reasoning [actively deflect threats to beliefs]
- Correlation \neq Causation



VACCINE HESITANCY

"Delay in acceptance or refusal of vaccines despite availability of vaccination services.
 Vaccine hesitancy is complex and context specific varying across time, place, and vaccines. It includes factors such as complacency, convenience and confidence."

Hesitancy adversely impacts

- Individuals-**
 - 1- Not protected as a result of decision not to vax.
 - 2- Who are not/cannot be vaccinated (from exposure)
- Society-** Outbreaks occur when immunization levels fall below those needed to provide community protection. Society (ultimately) pays costs...

World Health Organization. Report of the SAGE Working Group on Vaccine Hesitancy. 2014.




COMMUNITY IMMUNITY

- syn: Herd Immunity, Social Immunity
- "Vaccines can prevent outbreaks of disease and save lives."

When a **critical portion of a community is immunized** against a contagious disease, **most members of the community are protected against that disease** because there is **little opportunity for an outbreak.**

Even those who are not eligible for certain vaccines—such as infants, pregnant women, or immunocompromised individuals—**get some protection because the spread of contagious disease is contained.**"

<https://www.vaccines.gov/basics/protection/index.html>



By Tkarcher - Own work, CC BY-SA 4.0, <https://commons.wikimedia.org/w/index.php?curid=46780>

COMMUNITY IMMUNITY: IMPORTANT VARIABLES

- Assumes random spread of infectious organisms thru population
- Host susceptibility to disease
- Vaccine effectiveness
- "Transmissibility" of organism
 - Crowding
 - Other variables re: specific infectious organism
- **Examples:**
 - Measles 90-95% coverage required [most contagious virus]
 - Influenza 80% healthy, 90% high risk [lower efficacy vaccine]
 - Pneumococcal 90+% coverage in kids reduces IPD across all ages

http://www.sabin.org/sites/sabin.org/files/jennifer%20Loo_PCV%20herd%20immunity_rev.pdf

21ST CENTURY TRENDS IN VPD

Childhood vax rates drop precipitously in EU 2008-2010 following Wakefield-> recovering...
 Vaccine access is an ongoing challenge esp. in poor economies of Africa, Asia, Middle East

2008 **2011** **2013**

● Measles ● Polio ● Measles ● Polio ● Measles ● Polio
● Mumps ● Whooping Cough ● Mumps ● Whooping Cough ● Mumps ● Whooping Cough
● Rubella ● Other ● Rubella ● Other ● Rubella ● Other

<https://www.npr.org/sections/health-shots/2014/01/28/268780719/how-vaccine-fears-fueled-the-resurgence-of-preventable-diseases>

COMMUNITY IMMUNITY: TAKE HOME MESSAGES

- **Highly susceptible populations can be infected** even in presence of high community immunity [local, county, state, country]
 - Mumps in Arkansas and Midwest (2016)
 - Measles outbreak in Somali immigrant communities in Minnesota(2017)
- **High level community immunity required to reduce likelihood of resurgence or outbreaks associated with imported cases**
 - Measles outbreak (associated with Disneyland in 2015)
- **Mutations/Shifts in viruses and bacteria can lead to resurgent disease** despite high level community immunity
 - Pandemic Influenza associated with 2009 H1N1 reassortant virus
 - Emergence of Pneumococcus 6A in 2005-08
- **Potency and duration of vaccine protection impacts risk** of community outbreaks
 - Recurrent Pertussis mini-outbreaks across US since 2011

AVAILABILITY HEURISTIC (BIAS)

- When faced with making an immediate decision (vaccination in clinic) people often lack time and/or resources to examine options...
- Mentally estimate the probability of an event based on how easily it comes to mind.
 - How often do you hear about a Vaccine-preventable disease?
 - How often do you hear about a Vaccine side effect?

As disease becomes less common and absolute number of side effects increases with absolute number of vaccine doses administered- ease of recall of adverse events may exceed recall of disease- leading to a choice to refuse vaccine.

- Physicians who graduated 1995-2002 showed less favorable impression of vaccines than those who grad in 1954-64.



COUNTERING MISINFORMATION AND BOOMERANG

- Our natural response to vaccine misinformation is to correct the info.
 1. Focus on key facts (avoid overwhelming them with info)
 2. Clearly indicate '...the following is false...' before myth is mentioned,
 3. Provide an alternative explanation to myth (to help close 'mental gap')
- Boomerang Effect:
 - Correction-based approach can backfire and may reinforce vaccine hesitance
- How to overcome Boomerang:
 - Avoid direct contradiction of misperception and focus on disease itself- focus on individual's risk for disease (risk perception), seriousness of disease and their ability to take action to reduce risk (self efficacy).
 - Some will respond and accept
 - Others may not be able to make a decision (cognitive freeze)-
in this case setting a concrete plan to revisit decision -and follow through on this...

Omer SB, et.al. JAMA Pediatrics. August 14, 2017.



PRESUMPTIVE V. PARTICIPATORY COMMUNICATION

- **Participatory communication:** Assumes provider and patient are (near) equals in making decision
 - Note similarity in statements: 'Would you like a (cheeseburger)?' ---> 'Can I give you a flu shot?'
 - This style is more appropriate for optional service (restaurant menu) than a specific medical recommendation.
- **Presumptive communication:** Shape recommendation with presumption patient will accept (vaccine)
 - e.g. 'Dr. Hopkins strongly recommends flu vaccination for you today, I would like to give it now...'
 - Demonstrated to increase vaccination in children v. use of 'participatory' style

Rhetorically: Which of these is most appropriate:
Would you like to go into the hospital for treatment of your stroke today?

We need to admit you to the hospital now for treatment of your stroke.

Omer SB, et.al. JAMA Pediatrics. August 14, 2017.



WHO CAN WE PROTECT WITH VACCINATION? ...AND WHO DO WE NEED TO PROTECT OUR PATIENTS FROM?

Continuum of Vaccine Acceptance

Tara Halle, TedX Oslo 2016. Graphic by Hannah Henry.

Anti-Vaccine Rally California 2016 [vs. SB 277]

1802 Caricature: Edward Jenner Administering Cowpox vaccine

ONGOING (PEDIATRIC) CONTROVERSY: SHOULD YOU EXCLUDE ANTIVACCINE PATIENTS FROM PRACTICE?


- **Benefits of Exclusion:**
 - Lower risk to introduce a vaccine-preventable disease to other families in practice especially important if many 'highest risk' patients in practice.
- **Harms of Exclusion:**
 - Less options for care for excluded families
 - Patient can be harmed by the objections of their parents...
 - Less chance these families can be convinced to change their minds and vaccinate
- Challenging practical and ethical decision...


Opel D, et al. Pediatrics. April 2016. 137(4): 1-4.
https://www.asp.org/en-us/Documents/immunisation_refusallovaccinate.pdf

ACCEPTANCE V. AVERSION TO VACCINES

Themes: Finance/Technical Mistrust Un-Belief Worry
Assess- static or dynamic??

Adapted from <http://vaccine-safety-training.org/risk-perception.html>







ASSESSING THE 'VACCINE HESITANT'

Author, ref.	Least Resistant				Most Resistant
Healy, NFD 2015	Uninformed	Misinformed	Open-minded	Convinced/content	Missionary NO
Gust, AJHB 2005	Imm advocates	Go along, get along	Health advocates	Fence sitters	Worriers
Keane, Vaccine 2005	Vax believer	Cautious	Relaxed	Unconvinced	
Benin, Peds 2006	Accepters	Vaccine hesitant	Late vaccinators	Rejectors	

Take home: Many models based on individual studies
Hesitancy not directly correlated with vaccine uptake (or lack thereof)

Dube E, et.al. Human Vaccines and Immunotherapeutics. August 2013. 9(8): 1763-73.

ASSESSING THE 'VACCINE HESITANT'

Cognitive style	Main effect	Verbal expression	Approach
Denialist	Disbelieves accepted scientific facts, despite overwhelming evidence. Prone to believe conspiracy theories	"I don't care what the data show, I don't believe the vaccine is safe"	Provide consistent messaging repeatedly over time from trustworthy sources, provide educational materials, select questions, avoid "hard sell" approach, use motivational interviewing approaches
Innumerate	Cannot understand or has difficulty manipulating numbers, probabilities, or risks	"One in a million risk sounds high, for sure I'll be the 1 in a million that has a side effect, I'll avoid the vaccine"	Provide nonmathematical information, analogies, or comparators using a more holistic "right brain" or emotive approach
Fear-based	Decision making based on fears	"I heard vaccines are harmful and I'm not going to get them"	Understand source of fear, provide consistent positive approach, show risks in comparison to other daily risks, demonstrate risks of not receiving vaccines, use social norming approaches
Heuristic	Often appeals to availability heuristic (what I can recall equates with how commonly it occurs)	"I remember GBS happened in 1977 after flu vaccines, that must be common, and therefore I'm not getting a flu vaccine"	Point out inconsistencies and fallacy of heuristic thinking, provide educational materials, appeal to other heuristics
Bandwagoning	Primarily influenced by what others are doing or saying	"If others are refusing the vaccine there must be something to it, I'm going to skip getting the vaccine"	Understand primary influencers, point out logical inconsistencies, use social norming and self-efficacy approaches
Analytical	Left brain thinking, facts are paramount	"I want to see the data so I can make a decision"	Provide data requested, review analytically with patient

Poland and Poland. Vaccine. 29(2011): 6145-8.

CONCEPTS OF VACCINE HESITANCY: EACH CAN BE A POSITIVE OR NEGATIVE...

- **Complacency**
 - Do what is the norm in my community
 - This is what my family has always done
 - Everyone on twitter says....
- **Convenience**
 - I will get vaccinated if it's easy
 - Cost/Insurance payment
 - Side effects
- **Confidence**
 - In vaccine safety
 - In my Physician, Pharmacist, Nurse...
 - In government
 - In vaccine manufacture and monitoring

Quinn S et.al. PLOS Currents 2016
Dube E, et.al. Human Vaccines and Immunotherapeutics. August 2013. 9(8): 1763-73.

PATIENT MOTIVATORS

- **Risk perception**
 - Perceived vulnerability
 - Perceived seriousness (severity) of disease to be prevented
 - Perceived cost of prevention (vaccine)
 - Benefit of action (vaccination) to prevent harm
- **Trust**
 - In Physician/provider of vaccine
 - In government/recommending authority
 - In industry producing and supplying vaccine
- **Social**
 - Norms
 - Pressure
 - Responsibility
- **Religious and Philosophical**

Dube E, et.al. Human Vaccines and Immunotherapeutics 2013. 9(8): 1763-73.



WHICH PATIENTS/PARENTS ARE MOST LIKELY TO BE VACCINE HESITANT?


- Younger age
- 'Fearful' or 'anxious' personality type
- Highly educated
- Skeptical approach to information
- Belong to a community with 'low vaccine acceptance'
- Rely on Social Media for much external information
- But... some older adults are also vaccine hesitant- risk factors:
 - Lower income and education
 - Increased cost of vaccine
 - Social isolation

Jain A, et.al. Vaccine 35(2017): 2315-28.
Eilers R, et.al. Vaccine 35(2017): 2823-30.



FACTS ABOUT VACCINES AND VACCINATION





THE CHALLENGE POSED BY NEW VACCINES...

- Context / Scope of problem
- Defining risk
- The challenge of 'new'
- Different messages may apply for different constituencies

PRACTICAL IMPLEMENTATION

'Believe in the force, Luke...'
 -Obi Wan Kenobi
Perhaps a 21st century corollary...

'Believe in and effectively use vaccines, Physician, if you wish to protect your patients...'
 -Bob Hopkins



HOW CAN WE ADDRESS VACCINE HESITANCY?

Disclaimer: Most studies in parents of children but common themes emerge

- 'Openness,' dialog, empathy and respect= keys, regardless of message
- Pro-vaccine messages do not always work as intended-
 - Effectiveness varies by vaccine attitudes of the recipient
 - Information may correct misconception of vaccine link to autism but also may reduce likelihood of vaccination in those least supportive of vaccination
- Emphasizing risk of Vaccine-preventable disease may have benefit
- 'Scare tactics,' dramatic disease narratives do not increase uptake
- No interventions consistently help increase uptake in highly vaccine resistant

Greenberg J, et.al. PLOS Currents Outbreaks 2017 Mar 3. ed.1.
 Nyhan B, et.al. Pediatrics 2014. 133(4).
 Jarrett C, et.al. Vaccine 2015 Aug 14; 33(34): 4180-90.



POPULATION-LEVEL INTERVENTIONS TO REDUCE HESITANCY

- Transparency in policy-making decisions re: vaccination program
- Educate providers and patients re:
 - Rigorous process required for new vaccine approval
 - Ongoing post-marketing surveillance for vaccine-related adverse events
- Active intake/listening to public concerns
 - Understand public perceptions
 - Inform risk communication
 - Include public input in planning vaccine policies and programs
- Research why patients and some HCP still have doubts re: vaccine safety, efficacy
- Research how we can best respond to these concerns

Leask J. Target the Fence-Sitters. Nature 473(2011): 443-45.
 Karafilakis E, et.al. Vaccine 34(2016): 5013-20.



WHAT CAN A BUSY CLINICIAN/PRACTICE DO?

- Assure vaccine providers (staff) understand vaccine science and recommendations
- Build an immunization team in each practice setting
 - All team members on same page about vaccination
 - Applies to inpatient and outpatient
- Use tools to maximize vaccination
 - Reminder-Recall
 - Pre-visit planning
 - Standing Orders
- Physicians are the final line of defense
- Target interventions on those you have a chance to help...

Leask J. Target the Fence-Sitters. Nature 473(2011): 443-45.



VACCINE RECOMMENDATION

- **Style is as important as the message content**
 - Non-confrontational
 - Avoid scoffing, belittling, 'surprised disbelief'
 - Acknowledge patient motivations
 - Address patient concerns
- **Try to understand your patient's motivations**
 - Acknowledge that anti-vaccine info exists (without repeating specifics)
 - Focus on vaccine value [Protection for individual patient, her family, and community (society)]
 - Low risk
 - Low cost



EVALUATING THE VACCINE HESITANT 1

- Assure practice team has vaccine knowledge, skills
 - Previsit plan: Sets the stage and allows prioritized interventions
- Practice level: Initial vaccine recommendation
 - Who will deliver? Front desk? MA? Nurse?
- Message must be: Strong, Specific, Succinct
- Follow through: Immunize vaccine acceptors immediately
Refer those with hesitance to *THE CLOSER* (e.g. MD, APRN, Vaccine expert)
- **CLOSER:**
 - *Make the diagnosis* in those patients who say 'No' or 'But'
 - Hesitant ?
 - Questioning ?
 - Fearful ?
 - Anti-Vaccine zealot .
- *Unless unlimited time and patience, spend your resources on those who are not zealots...*



MANAGING VACCINE HESITANT 2

- **Messaging** should be targeted to 'diagnosis' (previous slide)
 - a. Motivation should be addressed
 - b. Maximize value to the particular individual (self protection? cost? family? other?)
 - c. Make it human (Give a contextual example or 'put a face on the recommendation')
- Provide a **presumptive vaccination recommendation**
- **Specify the vaccination plan**
 - Now (This is the goal, but will not be achievable in all...)
 - If patient declines vaccine today and/or must be referred: Specify plan (to revisit or referral)
 - Verbalize and document plan to revisit or that patient refuses vaccine (+ revisit)
 - If documentation and followup not carried out as planned- you have missed an opportunity...
- Keep in mind that different people have different learning and decision-making styles
 - *While you may not achieve your goal in 1 visit: a good physician-patient relationship will go a long way in helping you ultimately reach your goal!*

Eilers R, et.al. Vaccine, 35(2017): 2823-30.
Jain A, et.al. Vaccine, 35(2017): 2319-28.
Poland and Poland. Vaccine, 29(2011): 6145-8.



Mr. Jones is a 43 year old local junior high Science teacher. He made a same day appointment to see you because his Internist is not available. He is requesting antibiotics 'at the direction of the Health Department' because of an outbreak of Pertussis in his school (12 of his 29 students have been absent due to illness).

He tells you that he is annoyed because your medical assistant insisted he wear a mask for the duration of his visit to your office and he is in a rush to get his son to a doctor's appointment (same reason)...

He has had cough for the past 3 months which he attributed to 'allergies.'
He has had a few episodes of post-tussive emesis. He has had no fever, chills, NVD.
He smokes ¼ PPD cigarettes (cut down as he can no longer smoke on campus).
He had 'asthma in childhood,' but has not had symptoms in years.
His vitals are normal and his physical examination is only notable for clear rhinorrhea.
He does not accept vaccines 'because he is healthy.'

**Strong recommendation- I recommend because... I have vaccinated mine...
You don't want to go through this again...**

What additional information would you like to know about his views on vaccines?
If 'religious antivax', recommend he consider alternate career?

How would you address his vaccination beliefs?
Otherwise, explore beliefs and encourage.

What do you recommend for Mr. Jones today re: vaccination?
Tdap, Flu, PPSV23

Image from Baylor Lariat [Editorial] 4/13/2014



EXAMPLES

Influenza vaccine recommendation

Mr. Smith- I strongly recommend you have your flu vaccine today. I know you are not a fan of needles but this is important in reducing your risk for hospitalization and/or worsening heart failure this winter...

MMR vaccine and autism

MMR is a safe and critically important vaccine to prevent Measles and Mumps- 2 highly contagious viruses which can and still do cause outbreaks and even deaths... I know you have heard concerns about MMR vaccine but there is strong evidence of protection and almost no risk. I have vaccinated my children and have been vaccinated and I want your child to have the same protection. Do you have more questions or can my nurse give the vaccine now?

HPV Vaccine

HPV vaccine is designed to protect our young people from a number of cancers which can be caused by this common virus. We are seeing a fall in HPV-related cancers since we have started using the vaccine, especially in countries with high vaccination rates. The vaccine is safe and effective. I have given it to my sons- my daughter will receive it when she is your son's age. I want to give your family the benefit of this protection which is so important to my family. May my nurse give the immunization now, or do you have other questions??



QUESTIONS??

ADDITIONAL REFERENCES

- <http://vaccine-safety-training.org/home.html>
- <https://www.cdc.gov/vaccines/index.html>
- <http://www.nejm.org/doi/pdf/10.1056/NEJMp1010894>
- <https://www.cdc.gov/vaccinesafety/ensuringsafety/history/index.html>
- <https://www.niaid.nih.gov/about/vaccine-research-center-mission-and-history>
- <https://www.historyofvaccines.org/content/about>