

No. 23-0697

IN THE SUPREME COURT OF TEXAS

THE STATE OF TEXAS, *et al.*,

Appellants,

v.

LAZARO LOE, *et al.*,

Appellees.

On Direct Appeal from the
201st Judicial District of Travis County, Texas
No. D-1-GN-23-003616

**BRIEF OF *AMICI CURIAE* AMERICAN ACADEMY OF PEDIATRICS
AND ADDITIONAL NATIONAL AND STATE MEDICAL AND MENTAL
HEALTH ORGANIZATIONS IN SUPPORT OF APPELLEES AND
AFFIRMANCE**

David S. Coale (dcoale@lynnllp.com)
Kyle Gardner (kgardner@lynnllp.com)
**LYNN PINKER HURST &
SCHWEGMANN LLP**
2100 Ross Avenue, Suite 2700
Dallas, Texas 75201
Phone: (214) 981-3800

Cortlin H. Lannin (clannin@cov.com)
COVINGTON & BURLING LLP
Salesforce Tower
415 Mission St., Suite 5400
San Francisco, CA 94105
Phone: (415) 591-6000

D. Jean Veta (jveta@cov.com)
William Isasi (wisasi@cov.com)
Noah S. Goldberg (ngoldberg@cov.com)
COVINGTON & BURLING LLP
One CityCenter
850 Tenth St., N.W.
Washington, D.C. 20001
Phone: (202) 662-6000

Counsel for Amici Curiae

TABLE OF CONTENTS

Table of Contents	ii
Table of Authorities	iv
STATEMENT OF INTEREST OF <i>AMICI CURIAE</i>	1
INTRODUCTION	3
ARGUMENT	5
I. Understanding Gender Identity and Gender Dysphoria.	6
II. The Widely Accepted Guidelines for Treating Adolescents with Gender Dysphoria Provide for Gender-Affirming Medical Care When Indicated.....	8
A. The Gender Dysphoria Treatment Guidelines Include Thorough Mental Health Assessments and, for Some Adolescents, Gender-Affirming Medical Care.....	9
1. The Guidelines Do Not Recommend Gender-Affirming Medical Care for Prepubertal Children.....	10
2. A Robust Diagnostic Assessment Is Required Before Gender-Affirming Medical Care Is Provided.	10
3. In Certain Circumstances, the Guidelines Provide for the Use of Gender-Affirming Medical Care to Treat Adolescents With Gender Dysphoria.	12
B. The Guidelines for Treating Gender Dysphoria Were Developed Through a Robust and Transparent Process, Employing the Same Scientific Rigor That Underpins Other Medical Guidelines.....	15
C. Scientific Evidence Indicates the Effectiveness of Treating Gender Dysphoria According to the Guidelines.	17

III. The Healthcare Ban Is Based on Factually Inaccurate Claims and Ignores Recommendations of the Medical Community..... 21

IV. The Healthcare Ban Would Irreparably Harm Many Adolescents with Gender Dysphoria By Denying Them the Treatment They Need..... 23

CONCLUSION..... 24

TABLE OF AUTHORITIES

Page(s)

Other Authorities

Am. Psychiatric Ass’n, <i>Diagnostic and Statistical Manual of Mental Disorders: DSM-5 – TR</i>	7
Am. Psychological Ass’n, <i>APA Resolution on Gender Identity Change Efforts</i> (2021), https://www.apa.org/about/policy/resolution-gender-identity-change-efforts.pdf	6
Am. Psychological Ass’n, <i>Guidelines for Psychological Practice with Transgender and Gender Nonconforming People</i> , 70(9) AMERICAN PSYCHOLOGIST 832 (2015), https://www.apa.org/practice/guidelines/transgender.pdf	6
Christal Achille et al., <i>Longitudinal Impact of Gender-Affirming Endocrine Intervention on The Mental Health and Wellbeing of Transgender Youths: Preliminary Results</i> , 8 INT’L J PEDIATRIC ENDOCRINOLOGY 1–5 (2020), https://pubmed.ncbi.nlm.nih.gov/32368216	17, 18
Stewart L. Adelson, <i>Practice Parameter on Gay, Lesbian, or Bisexual Sexual Orientation, Gender Nonconformity, and Gender Discordance in Children and Adolescents</i> , 51 J. AM. ACAD. CHILD & ADOLESCENT PSYCHIATRY 957 (2020), https://pubmed.ncbi.nlm.nih.gov/22917211	7, 22
Zoe Aldridge et al., <i>Long Term Effect of Gender Affirming Hormone Treatment on Depression and Anxiety Symptoms in Transgender People: A Prospective Cohort Study</i> , 9 ANDROLOGY 1808–16 (2021)	19
Luke R. Allen et al., <i>Well-Being and Suicidality Among Transgender Youth After Gender-Affirming Hormones</i> , 7(3) CLINICAL PRAC. PEDIATRIC PSYCH. 302 (2019), https://psycnet.apa.org/record/2019-52280-009	18, 20

Susan D. Boulware et al., <i>Biased Science: The Texas and Alabama Measures Criminalizing Medical Treatment for Transgender Children and Adolescents Rely on Inaccurate and Misleading Scientific Claims</i> , 18 (Apr. 28, 2022), https://papers.ssrn.com/sol3/papers.cfm?abstract_id=4102374	21
Polly Carmichael et al., <i>Short-Term Outcomes of Pubertal Suppression in a Selected Cohort of 12 to 15 Year Old Young People With Persistent Gender Dysphoria in the UK</i> , 16(2) PLOS ONE e0243894 (2021), https://pubmed.ncbi.nlm.nih.gov/33529227	17
Diane Chen et al., <i>Psychosocial Functioning in Transgender Youth after 2 Years of Hormones</i> , 388(3) NEW ENG. J. MED 240–50 (2023)	18, 20
F. Comite et al., <i>Short-Term Treatment of Idiopathic Precocious Puberty with a Long-Acting Analogue of Luteinizing Hormone-Releasing Hormone — A Preliminary Report</i> , 305 NEW ENG. J. MED. 1546 (1981)	14
Rosalia Costa et al., <i>Psychological Support, Puberty Suppression, and Psychosocial Functioning in Adolescents with Gender Dysphoria</i> , 12(11) J. SEXUAL MED. 2206–2214 (2015), https://pubmed.ncbi.nlm.nih.gov/26556015	18
Annelou L.C. de Vries et al., <i>Puberty Suppression in Adolescents with Gender Identity Disorder: A Prospective Follow-up Study</i> , 8(8) J. SEXUAL MED. 2276–83 (2011), https://pubmed.ncbi.nlm.nih.gov/20646177	18, 20
Annelou L.C. de Vries et al., <i>Young Adult Psychological Outcome After Puberty Suppression And Gender Reassignment</i> , 134(4) PEDIATRICS 696–704 (2014), https://pubmed.ncbi.nlm.nih.gov/25201798	18, 20
Endocrine Soc’y, <i>Methodology</i> , https://www.endocrine.org/clinical-practice-guidelines/methodology	16
Endocrine Soc’y, <i>Transgender Health: An Endocrine Society Position Statement</i> (2020), https://www.endocrine.org/advocacy/position-statements/transgender-health	9

Amy E. Green et al., <i>Association of Gender-Affirming Hormone Therapy with Depression, Thoughts of Suicide, and Attempted Suicide Among Transgender and Nonbinary Youth</i> , J. ADOLESCENT HEALTH (2021), https://www.jahonline.org/article/S1054-139X(21)00568-1/fulltext	19
Gordon Guyatt et al., <i>GRADE Guidelines: 1. Introduction - GRADE Evidence Profiles and Summary of Findings Tables</i> , 64 J. CLINICAL EPIDEMIOLOGY 383 (2011), https://apo.who.int/docs/librariesprovider11/publications/supplementary-material/hsr-synthesis-guyatt-2011.pdf	16
Gordon H. Guyatt et al., <i>GRADE: An Emerging Consensus on Rating Quality of Evidence and Strength of Recommendations</i> , 336 BMJ 924 (2008), https://pubmed.ncbi.nlm.nih.gov/18436948/	16
Wylie C. Hembree et al., <i>Endocrine Treatment of Gender-Dysphoric/Gender-Incongruent Persons</i> , 102(11) J. CLINICAL ENDOCRINOLOGY & METABOLISM 3869 (Nov. 2017) (“Endocrine Soc’y Guidelines”), https://academic.oup.com/jcem/article/102/11/3869/4157558	passim
Jody L. Herman et al., <i>Ages of Individuals Who Identify as Transgender in the United States</i> , Williams Inst. (Jan. 2017), http://williamsinstitute.law.ucla.edu/wp-content/uploads/Age-Trans-Individuals-Jan-2017.pdf	6
Michael S. Irwig, <i>Detransition Among Transgender and Gender-Diverse People—An Increasing and Increasingly Complex Phenomenon</i> , J. CLINICAL ENDOCRINOLOGY & METABOLISM 1, 1 (June 2022), https://pubmed.ncbi.nlm.nih.gov/35678284	22
Michelle M. Johns et al., <i>Transgender Identity and Experiences of Violence Victimization, Substance Use, Suicide Risk, and Sexual Risk Behaviors Among High School Students—19 States and Large Urban School Districts, 2017</i> , US Dep’t of Health and Human Servs., Centers for Disease Control & Prevention, 68 MORBIDITY & MORTALITY WKLY. REP. 67 (2019), https://www.cdc.gov/mmwr/volumes/68/wr/pdfs/mm6803a3-H.pdf	8

Rittakerttu Kaltiala et al., <i>Adolescent Development And Psychosocial Functioning After Starting Cross-Sex Hormones For Gender Dysphoria</i> , 74(3) NORDIC J. PSYCHIATRY 213 (2020)	18
Brayden N. Kameg & Donna G. Nativio, <i>Gender Dysphoria In Youth: An Overview For Primary Care Providers</i> . 30(9) J. AM. ASSOC. NURSE PRAC. 493 (2018), https://pubmed.ncbi.nlm.nih.gov/30095668	8
Laura E. Kuper, et al., <i>Body Dissatisfaction and Mental Health Outcomes of Youth on Gender-Affirming Hormone Therapy</i> , 145(4) PEDIATRICS e20193006 (2020), https://pubmed.ncbi.nlm.nih.gov/32220906	18
Diego Lopez de Lara et al., <i>Psychosocial Assessment in Transgender Adolescents</i> , 93(1) ANALES DE PEDIATRIA 41–48 (English ed. 2020), https://www.researchgate.net/publication/342652073	18
James L. Madara, <i>AMA to States: Stop Interfering in Healthcare of Transgender Children</i> , Am. Med. Ass’n (Apr. 26, 2021), https://www.ama-assn.org/press-center/press-releases/ama-states-stop-interfering-health-care-transgender-children	6
Christy Mallory et al., <i>Conversion Therapy and LGBT Youth</i> , Williams Inst. (June 2019), https://williamsinstitute.law.ucla.edu/wp-content/uploads/Conversion-Therapy-Update-Jun-2019.pdf	4
Simona Martin et al., <i>Criminalization of Gender-Affirming Care— Interfering with Essential Treatment for Transgender Children and Adolescents</i> , 385 NEW ENG. J. MED. 579 (2021)	passim
Anna I.R. van der Miesen, <i>Psychological Functioning in Transgender Adolescents Before and After Gender-Affirmative Care Compared With Cisgender General Population Peers</i> , 66(6) J. ADOLESCENT HEALTH 699–704 (2020)	18
M. Hassan Murad et al., <i>Hormonal Therapy and Sex Reassignment: A Systematic Review and Meta-Analysis of Quality of Life and Psychosocial Outcomes</i> , 72(2) CLINICAL ENDOCRINOLOGY 214 (Feb. 2010), https://onlinelibrary.wiley.com/doi/10.1111/j.1365-2265.2009.03625.x	23

Amit Paley, <i>The Trevor Project 2020 National Survey</i> , at 1, https://www.thetrevorproject.org/wp-content/uploads/2020/07/The-Trevor-Project-National-Survey-Results-2020.pdf	8
Ken C. Pang et al., <i>Long-term Puberty Suppression for a Nonbinary Teenager</i> , 145(2) PEDIATRICS e20191606 (2019), https://pubmed.ncbi.nlm.nih.gov/31974217/	14
Jason Rafferty, <i>Ensuring Comprehensive Care and Support for Transgender and Gender-Diverse Children and Adolescents</i> , 142(4) PEDIATRICS e20182162, at 2–3, tbl.1 (2018) ("AAP Policy Statement"), https://publications.aap.org/pediatrics/article/142/4/e20182162/37381/Ensuring-Comprehensive-Care-and-Support-for	passim
Stephen M. Rosenthal, <i>Challenges in the Care of Transgender and Gender-Diverse Youth: An Endocrinologist’s View</i> , 17(10) NATURE REV. ENDOCRINOLOGY 581, 585 (Oct. 2021), https://pubmed.ncbi.nlm.nih.gov/34376826/	7, 21, 22
Annemieke S. Staphorsius et al., <i>Puberty Suppression and Executive Functioning: An Fmri-Study in Adolescents with Gender Dysphoria</i> , 6 PSCYHONEUROENDOCRINOLOGY 190 (2015), https://pubmed.ncbi.nlm.nih.gov/25837854/	14
Diana M. Tordoff et al., <i>Mental Health Outcomes In Transgender And Nonbinary Youths Receiving Gender-Affirming Care</i> , 5(2) JAMA NETWORK OPEN e220978 (2022), https://pubmed.ncbi.nlm.nih.gov/35212746/	18
Jack L. Turban et al., <i>Access To Gender-Affirming Hormones During Adolescence and Mental Health Outcomes Among Transgender Adults</i> , J. PLOS ONE (2022), https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0261039	19
Jack L. Turban et al., <i>Pubertal Suppression For Transgender Youth And Risk of Suicidal Ideation</i> , 145(2) PEDIATRICS e20191725 (2020), https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7073269	18, 19, 24

WPATH, *Standards of Care for the Health of Transgender and Gender Diverse People* (8th Version) (“WPATH Guidelines”),
<https://www.tandfonline.com/doi/pdf/10.1080/26895269.2022.2100644>.....passim

STATEMENT OF INTEREST OF *AMICI CURIAE*

Amici curiae are the American Academy of Pediatrics, the Academic Pediatric Association, the American Academy of Child & Adolescent Psychiatry, the Association of American Medical Colleges, the American Academy of Family Physicians, the American Academy of Nursing, the American College of Obstetricians and Gynecologists, the American College of Osteopathic Pediatricians, the American Medical Association, the American College of Physicians, the American Pediatric Society, the Association of Medical School Pediatric Department Chairs, Inc., the Endocrine Society, the National Association of Pediatric Nurse Practitioners, the Pediatric Endocrine Society, the Societies for Pediatric Urology, the Society for Adolescent Health and Medicine, the Society for Pediatric Research, the Society of Pediatric Nurses, the Texas Pediatric Society (the Texas Chapter of the American Academy of Pediatrics); and the World Professional Association for Transgender Health (collectively, “*amici*”).¹

Amici are professional medical and mental health organizations seeking to ensure that all adolescents, including those with gender dysphoria, receive the optimal medical and mental health care they need and deserve. *Amici* represent

¹ *Amici* affirm that no person other than *amici*, their staff, or their counsel made any monetary contributions intended to fund the preparation or submission of this brief. Tex. R. App. P. 11(c).

thousands of healthcare providers who have specific expertise with the issues raised in this brief. The Court should consider *amici*'s brief because it provides important expertise and addresses misstatements about the treatment of transgender adolescents.

INTRODUCTION

On June 2, 2023, the Governor signed into law Senate Bill 14 (the “Healthcare Ban”), a law that prohibits healthcare providers from providing patients under 18 with critical, medically necessary, evidence-based care for gender dysphoria.² Denying such evidence-based medical care to adolescents who meet the requisite medical criteria puts them at risk of significant harm. Below, *amici* provide the Court with an accurate description of the relevant treatment guidelines and summarize the scientific evidence supporting the gender-affirming medical care for adolescents that is prohibited by the Healthcare Ban.³

Gender dysphoria is a clinical condition that is marked by distress due to an incongruence between the patient’s gender identity (i.e., the innate sense of oneself as being a particular gender) and sex assigned at birth. This incongruence can lead to clinically significant distress and impair functioning in many aspects of the patient’s life.⁴ If not treated, or treated improperly, gender dysphoria can result in

² Texas S.B. 14 § 2 prohibits medical treatments that are administered for the purpose of treating gender dysphoria, including treatments that delay or stop puberty or include certain hormone therapy, which, as discussed in this brief, are medically necessary care for certain adolescents with gender dysphoria.

³ In this brief, the term “gender-affirming medical care” refers to the use of gonadotropin-releasing hormone (GnRH) analogues and/or hormone therapy to treat gender dysphoria. Because this brief focuses primarily on adolescents, it does not discuss surgeries that are typically available to transgender adults.

⁴ See, e.g., Jason Rafferty, *Ensuring Comprehensive Care and Support for* (continued...)

debilitating anxiety, depression, and self-harm, and is associated with higher rates of suicide. As such, the effective treatment of gender dysphoria saves lives.

The widely accepted recommendation of the medical community, including that of the respected professional organizations participating here as *amici*, is that the well-accepted protocol for treating gender dysphoria is “gender-affirming care.”⁵ Gender-affirming care is care that supports an individual with gender dysphoria as they explore their gender identity—in contrast with efforts to change the individual’s gender identity to match their sex assigned at birth, which are known to be ineffective and harmful.⁶ For adolescents with persistent gender dysphoria that worsens with the onset of puberty, gender-affirming care may include medical care to align their physiology with their gender identity. Empirical evidence indicates that gender-affirming care, including gender-affirming medical care provided to

Transgender and Gender-Diverse Children and Adolescents, 142(4) PEDIATRICS e20182162, at 2–3, tbl.1 (2018) (hereinafter, “AAP Policy Statement”), <https://publications.aap.org/pediatrics/article/142/4/e20182162/37381/Ensuring-Comprehensive-Care-and-Support-for>. The American Academy of Pediatrics recently voted to reaffirm the AAP Policy Statement. See Alyson Sulaski Wyckoff, Am. Academy of Pediatrics, *AAP Reaffirms Gender-Affirming Care Policy, Authorizes Systematic Review of Evidence to Guide Update* (Aug. 4, 2023), <https://perma.cc/XS4B-WBLH>. AAP’s review and reaffirmation was undertaken as part of its normal procedures to perform such reviews on a five-year basis.

⁵ *Id.* at 10.

⁶ See, e.g., Christy Mallory et al., *Conversion Therapy and LGBT Youth*, Williams Inst. (June 2019), <https://williamsinstitute.law.ucla.edu/wp-content/uploads/Conversion-Therapy-Update-Jun-2019.pdf>.

carefully evaluated patients who meet diagnostic criteria, can alleviate clinically significant distress and lead to significant improvements in the mental health and overall well-being of adolescents with gender dysphoria.⁷

The Healthcare Ban disregards this medical evidence by precluding healthcare providers from providing adolescent patients with treatments for gender dysphoria in accordance with the well-accepted protocol. Accordingly, *amici* urge this Court to affirm the trial court’s temporary injunction and allow this case to be decided on the merits.

ARGUMENT

This brief first provides background on gender identity and gender dysphoria. It then describes the professionally accepted medical guidelines for treating gender dysphoria as they apply to adolescents, the scientifically rigorous process by which these guidelines were developed, and the evidence that supports the effectiveness of this care for adolescents with gender dysphoria. Finally, the brief corrects multiple inaccuracies regarding the professionally accepted medical guidelines for treating gender dysphoria and explains how the Healthcare Ban would irreparably harm

⁷ See Simona Martin et al., *Criminalization of Gender-Affirming Care—Interfering with Essential Treatment for Transgender Children and Adolescents*, 385 NEW ENG. J. MED. 579, at 2 (2021), <https://www.nejm.org/doi/full/10.1056/NEJMp2106314> (providing an overview of the scientific basis underlying gender-affirming care and its demonstrated effectiveness in “alleviat[ing] gender dysphoria”).

adolescents with gender dysphoria by denying crucial care to those who need it.

I. Understanding Gender Identity and Gender Dysphoria.

A person's gender identity is a person's deep internal sense of belonging to a particular gender.⁸ Most people have a gender identity that aligns with their sex assigned at birth.⁹ However, transgender people have a gender identity that does not align with their sex assigned at birth.¹⁰ In the United States, it is estimated that approximately 1.4 million individuals are transgender.¹¹ Of these individuals, approximately 10% are teenagers aged 13 to 17.¹² Individuals often start to understand their gender identity during prepubertal childhood and adolescence.

Today, there is an increasing understanding that being transgender is a normal variation of human identity.¹³ However, many transgender people suffer from

⁸ AAP Policy Statement, *supra* note 4, at 2 tbl.1.

⁹ See Am. Psychological Ass'n, *Guidelines for Psychological Practice with Transgender and Gender Nonconforming People*, 70(9) AMERICAN PSYCHOLOGIST 832, 862 (2015), <https://www.apa.org/practice/guidelines/transgender.pdf>.

¹⁰ See *id.* at 832.

¹¹ See Jody L. Herman et al., *Ages of Individuals Who Identify as Transgender in the United States*, Williams Inst., at 2 (Jan. 2017), <http://williamsinstitute.law.ucla.edu/wp-content/uploads/Age-Trans-Individuals-Jan-2017.pdf>.

¹² See *id.* at 3.

¹³ James L. Madara, *AMA to States: Stop Interfering in Healthcare of Transgender Children*, Am. Med. Ass'n (Apr. 26, 2021), <https://www.ama-assn.org/press-center/press-releases/ama-states-stop-interfering-health-care-transgender-children>; see also Am. Psychological Ass'n, *APA Resolution on Gender Identity Change* (continued...)

gender dysphoria, a serious medical condition in which the patient experiences significant distress that can lead to “impairment in peer and/or family relationships, school performance, or other aspects of their life.”¹⁴ Gender dysphoria is a formal diagnosis under the American Psychiatric Association’s Diagnostic and Statistical Manual (DSM-5-TR).¹⁵

Adolescents with gender dysphoria are not expected to identify later as their sex assigned at birth.¹⁶ Instead, “[l]ongitudinal studies have indicated that the emergence or worsening of gender dysphoria with pubertal onset is associated with a very high likelihood of being a transgender adult.”¹⁷

If untreated or inadequately treated, gender dysphoria can cause depression,

Efforts, 4 (2021), <https://www.apa.org/about/policy/resolution-gender-identity-change-efforts.pdf>.

¹⁴ AAP Policy Statement, *supra* note 4, at 3.

¹⁵ See Am. Psychiatric Ass’n, *Diagnostic and Statistical Manual of Mental Disorders: DSM-5 – TR*, at 512–13 (2022).

¹⁶ See, e.g., Stewart L. Adelson, *Practice Parameter on Gay, Lesbian, or Bisexual Sexual Orientation, Gender Nonconformity, and Gender Discordance in Children and Adolescents*, 51 J. AM. ACAD. CHILD & ADOLESCENT PSYCHIATRY 957, 964 (2020), <https://pubmed.ncbi.nlm.nih.gov/22917211> (“In contrast, when gender variance with the desire to be the other sex is present in adolescence, this desire usually does persist through adulthood”).

¹⁷ Stephen M. Rosenthal, *Challenges in the Care of Transgender and Gender-Diverse Youth: An Endocrinologist’s View*, 17(10) NATURE REV. ENDOCRINOLOGY 581, 585 (Oct. 2021), <https://pubmed.ncbi.nlm.nih.gov/34376826>.

anxiety, self-harm, and suicidality.¹⁸ Indeed, over 60% of transgender adolescents and young adults reported having engaged in self-harm during the preceding 12 months, and over 75% reported symptoms of generalized anxiety disorder in the preceding two weeks.¹⁹ Even more troubling, more than 50% of this population reported having seriously considered attempting suicide,²⁰ and more than one in three transgender adolescents reported having attempted suicide in the preceding 12 months.²¹

II. The Widely Accepted Guidelines for Treating Adolescents with Gender Dysphoria Provide for Gender-Affirming Medical Care When Indicated.

The widely accepted view of the professional medical community is that gender-affirming care is the appropriate treatment for gender dysphoria and that, for

¹⁸ See Brayden N. Kameg & Donna G. Nativio, *Gender Dysphoria In Youth: An Overview For Primary Care Providers*, 30(9) J. AM. ASSOC. NURSE PRAC. 493 (2018), <https://pubmed.ncbi.nlm.nih.gov/30095668>.

¹⁹ See Amit Paley, *The Trevor Project 2020 National Survey*, at 1, <https://www.thetrevorproject.org/wp-content/uploads/2020/07/The-Trevor-Project-National-Survey-Results-2020.pdf>.

²⁰ See *id.* at 2.

²¹ See Michelle M. Johns et al., *Transgender Identity and Experiences of Violence Victimization, Substance Use, Suicide Risk, and Sexual Risk Behaviors Among High School Students—19 States and Large Urban School Districts, 2017*, US Dep’t of Health and Human Servs., Centers for Disease Control & Prevention, 68 MORBIDITY & MORTALITY WKLY. REP. 67, 70 (2019), <https://www.cdc.gov/mmwr/volumes/68/wr/pdfs/mm6803a3-H.pdf>.

some adolescents, gender-affirming medical care is necessary.²² Contrary to the statement contained in the “Author’s / Sponsor’s Statement of Intent,” found in Senate Bill 14’s accompanying “Bill Analysis,” stating, without citing to any evidence, that “emerging research shows significant evidence that children are physically and emotionally harmed by these interventions,”²³ evidence actually shows that adolescents who receive gender-affirming medical care experience improvements in their overall well-being.²⁴

A. The Gender Dysphoria Treatment Guidelines Include Thorough Mental Health Assessments and, for Some Adolescents, Gender-Affirming Medical Care.

The treatment protocols for gender dysphoria are laid out in established, evidence-based clinical guidelines: (i) the Endocrine Society Clinical Practice Guideline for Endocrine Treatment of Gender-Dysphoric/Gender-Incongruent Persons, and (ii) the WPATH Standards of Care for the Health of Transgender and Gender Diverse People (together, the “Guidelines”).²⁵ The Guidelines have been

²² See, e.g., Endocrine Soc’y, *Transgender Health: An Endocrine Society Position Statement* (2020), <https://www.endocrine.org/advocacy/position-statements/transgender-health>.

²³ Tex. S.B. 14, Bill Analysis at 1.

²⁴ See *infra* Section II.C.

²⁵ Wylie C. Hembree et al., *Endocrine Treatment of Gender-Dysphoric/Gender-Incongruent Persons*, 102(11) J. CLINICAL ENDOCRINOLOGY & METABOLISM 3869 (Nov. 2017) (hereinafter, “Endocrine Soc’y Guidelines”), <https://academic.oup.com/jcem/article/102/11/3869/4157558>; WPATH, *Standards* (continued...)

developed by expert clinicians and researchers who have worked with patients with gender dysphoria for many years.

The Guidelines provide that all youth with gender dysphoria should be evaluated, diagnosed, and treated by a qualified health care professional (“HCP”). Further, the Guidelines provide that each patient who receives gender-affirming care should receive only evidence-based, medically necessary, and appropriate care that is tailored to the patient’s individual needs.

1. The Guidelines Do Not Recommend Gender-Affirming Medical Care for Prepubertal Children.

For prepubertal children with gender dysphoria, the Guidelines provide for mental health care and support for the child and their family, such as through psychotherapy and social transitioning.²⁶ The Guidelines do *not* recommend that prepubertal children with gender dysphoria receive gender-affirming medical care or surgeries.²⁷

2. A Robust Diagnostic Assessment Is Required Before Gender-Affirming Medical Care Is Provided.

In contrast to prepubertal children, the Guidelines do contemplate the

of Care for the Health of Transgender and Gender Diverse People (8th Version) (hereinafter “WPATH Guidelines”), <https://www.tandfonline.com/doi/pdf/10.1080/26895269.2022.2100644>.

²⁶ See *id.* at S73–S74; Endocrine Soc’y Guidelines, *supra* note 25, at 3877–78.

²⁷ See WPATH Guidelines, *supra* note 25, at S64, S67; Endocrine Soc’y Guidelines, *supra* note 25, at 3871.

possibility that transgender adolescents with gender dysphoria could receive gender-affirming medical care, provided certain criteria are met. According to the Guidelines, gender-affirming medical care should be provided only after a thorough evaluation by a HCP who: (1) is licensed by their statutory body and holds a master’s degree or equivalent in a relevant clinical field; (2) has expertise and received theoretical and evidence-based training in child, adolescent, and family mental health; (3) has expertise and received training in gender identity development, gender diversity in children and adolescents, can assess capacity to consent, and possesses knowledge about gender diversity across the life span; (4) has expertise and received training in autism spectrum disorders and other neurodevelopmental presentations, or collaborates with a developmental disability expert when working with neurodivergent patients; and (5) continues engagement in professional development in areas relevant to gender diverse children, adolescents, and families.²⁸

Prior to developing a treatment plan, the HCP should conduct a “comprehensive biopsychosocial assessment” of the adolescent patient.²⁹ The HCP conducts this assessment to “understand the adolescent’s strengths, vulnerabilities, diagnostic profile, and unique needs,” so that the resulting treatment plan is

²⁸ See WPATH Guidelines, *supra* note 25, at S49-50.

²⁹ *Id.* at S50.

appropriately individualized.³⁰ This assessment must be conducted collaboratively with the patient and their caregiver(s).³¹

3. In Certain Circumstances, the Guidelines Provide for the Use of Gender-Affirming Medical Care to Treat Adolescents With Gender Dysphoria.

For youths with gender dysphoria that continues into adolescence—after the onset of puberty—the Guidelines provide that, in addition to mental health care, gender-affirming medical care may be indicated. Before an adolescent may receive any gender-affirming medical care for treating gender dysphoria, the Guidelines, collectively, provide that a qualified HCP must determine that: (1) the adolescent meets the diagnostic criteria of gender dysphoria or gender incongruence according to an established taxonomy;³² (2) the adolescent has demonstrated a sustained and persistent pattern of gender nonconformity or gender dysphoria; (3) the adolescent has demonstrated the emotional and cognitive maturity required to provide informed consent for treatment; (4) any coexisting psychological, medical, or social problems that could interfere with diagnosis, treatment, or the adolescent's ability to consent have been addressed; (5) the adolescent has been informed of the reproductive effects of treatment in the context of their stage in pubertal development and

³⁰ *Id.*

³¹ *Id.*

³² Endocrine Soc’y Guidelines, *supra* note 25, at 3876; WPATH Guidelines, *supra* note 25, at S47, S48.

discussed fertility preservation options; and (6) the adolescent has reached Tanner stage 2 of puberty to initiate pubertal suppression.³³ Further, a pediatric endocrinologist or other clinician experienced in pubertal assessment must (7) agree with the indication for treatment, (8) confirm the patient has started puberty, and (9) confirm that there are no medical contraindications.³⁴

If all of the above criteria are met, and the patient and their parents provide informed consent, gonadotropin-releasing hormone (GnRH) analogues, or “puberty blockers,” may be offered beginning at the onset of puberty.³⁵ The purpose of puberty blockers is to delay pubertal development until adolescents are old enough and have had sufficient time to make more informed decisions about whether to pursue further treatments.³⁶ Puberty blockers also can make pursuing transition later in life easier, because they prevent irreversible bodily changes such as protrusion of the Adam’s apple or breast growth.³⁷ Puberty blockers have well-known efficacy and side-effect profiles.³⁸ Their effects are generally reversible, and when a patient

³³ WPATH Guidelines, *supra* note 25, at S59–65.

³⁴ Endocrine Soc’y Guidelines, *supra* note 25, at 3878 tbl.5.

³⁵ WPATH Guidelines, *supra* note 25, at S61-62; Endocrine Soc’y Guidelines, *supra* note 25, at 3878 tbl.5; Martin, *supra* note 7.

³⁶ WPATH Guidelines, *supra* note 25, at S112.

³⁷ See AAP Policy Statement, *supra* note 4, at 5.

³⁸ See Martin, *supra* note 7, at 2.

discontinues their use, the patient resumes endogenous puberty.³⁹ In fact, puberty blockers have been used by pediatric endocrinologists for more than 40 years for the treatment of precocious puberty.⁴⁰ The risks of any serious adverse effects from puberty blockers are exceedingly rare when provided under clinical supervision.⁴¹

Later in adolescence—and if the criteria below are met—hormone therapy may be used to initiate puberty consistent with the patient’s gender identity.⁴² Hormone therapy involves using gender-affirming hormones to allow adolescents to develop secondary sex characteristics consistent with their gender identity.⁴³ Hormone therapy is only prescribed when a qualified mental health professional has confirmed the persistence of the patient’s gender dysphoria, the patient’s mental capacity to consent to the treatment, and that any coexisting problems have been

³⁹ *See id.*

⁴⁰ *See* F. Comite et al., *Short-Term Treatment of Idiopathic Precocious Puberty with a Long-Acting Analogue of Luteinizing Hormone-Releasing Hormone — A Preliminary Report*, 305 NEW ENG. J. MED. 1546 (1981).

⁴¹ *See, e.g.,* Annemieke S. Staphorsius et al., *Puberty Suppression and Executive Functioning: An Fmri-Study in Adolescents with Gender Dysphoria*, 6 PSCYHONEUROENDOCRINOLOGY 190 (2015), <https://pubmed.ncbi.nlm.nih.gov/25837854> (no adverse impact on executive functioning); Ken C. Pang et al., *Long-term Puberty Suppression for a Nonbinary Teenager*, 145(2) PEDIATRICS e20191606 (2019), <https://pubmed.ncbi.nlm.nih.gov/31974217/> (exceedingly low risk of delayed bone mineralization from hormone treatment).

⁴² Martin, *supra* note 7, at 2.

⁴³ *See* AAP Policy Statement, *supra* note 4, at 6.

addressed.⁴⁴ A pediatric endocrinologist or other clinician experienced in pubertal induction must also agree with the indication, and the patient and their parents or guardians must be informed of the potential effects and side effects and give their informed consent.⁴⁵ Although some of the changes caused by hormone therapy become irreversible after those secondary sex characteristics are fully developed, others are partially reversible if the patient discontinues use of the hormones.⁴⁶

The Guidelines contemplate that the prescription of puberty blockers and/or hormone therapy be coupled with education on the safe use of such medications and close monitoring to mitigate any potential risks.⁴⁷ Decisions regarding the appropriate treatment for each patient with gender dysphoria are made in consultation with the patient, their parents or guardians, and the medical and mental health care team. There is “no one-size-fits-all approach to this kind of care.”⁴⁸

B. The Guidelines for Treating Gender Dysphoria Were Developed Through a Robust and Transparent Process, Employing the Same Scientific Rigor That Underpins Other Medical Guidelines.

The Guidelines are the product of careful and robust deliberation following the same types of processes—and subject to the same types of rigorous

⁴⁴ Endocrine Soc’y Guidelines, *supra* note 25, at 3878 tbl.5.

⁴⁵ *See id.*

⁴⁶ *See* AAP Policy Statement, *supra* note 4, at 5–6.

⁴⁷ *See* Endocrine Soc’y Guidelines, *supra* note 25, at 3871, 3876.

⁴⁸ Martin, *supra* note 7, at 1.

requirements—as other guidelines promulgated by *amici* and other medical organizations.

For example, the Endocrine Society’s Guidelines were developed following a 26-step, 26-month drafting, comment, and review process.⁴⁹ The Endocrine Society imposes strict evidentiary requirements based on the internationally recognized Grading of Recommendations Assessment, Development and Evaluation (GRADE) system.⁵⁰ That GRADE assessment is then reviewed, re-reviewed, and reviewed again by multiple, independent groups of professionals.⁵¹ Reviewers are subject to strict conflict of interest rules, and there is ample opportunity for feedback and debate through the years-long review process.⁵² Further, the Endocrine Society continually reviews its own guidelines and recently determined that the 2017 transgender care guidelines continue to reflect the best, most up-to-date available

⁴⁹ See, e.g., Endocrine Soc’y Guidelines, *supra* note 25, at 3872–73 (high-level overview of methodology).

⁵⁰ See Gordon Guyatt et al., *GRADE Guidelines: 1. Introduction - GRADE Evidence Profiles and Summary of Findings Tables*, 64 J. CLINICAL EPIDEMIOLOGY 383 (2011), <https://apo.who.int/docs/librariesprovider11/publications/supplementary-material/hsr-synthesis-guyatt-2011.pdf>; Gordon H. Guyatt et al., *GRADE: An Emerging Consensus on Rating Quality of Evidence and Strength of Recommendations*, 336 BMJ 924 (2008), <https://pubmed.ncbi.nlm.nih.gov/18436948/>.

⁵¹ Endocrine Soc’y, *Methodology*, <https://www.endocrine.org/clinical-practice-guidelines/methodology>.

⁵² See *id.*

evidence.

First published in 1979, the WPATH Standards of Care are currently in their 8th Edition. The current Standards of Care are the result of a robust drafting, comment, and review process that collectively took five years.⁵³ The draft guidelines went through rigorous review and were publicly available for discussion and debate, receiving a total of 2,688 comments.⁵⁴ 119 authors were ultimately involved in the final draft, including feedback from experts in the field as well as from transgender individuals and their families.⁵⁵

C. Scientific Evidence Indicates the Effectiveness of Treating Gender Dysphoria According to the Guidelines.

Multiple studies indicate that adolescents with gender dysphoria who receive gender-affirming medical care experience improvements in their overall well-being.⁵⁶ A number of studies have been published that investigated the use of puberty blockers on adolescents with gender dysphoria⁵⁷ and/or the use of hormone

⁵³ See WPATH Guidelines, *supra* note 25, at S247–51.

⁵⁴ See *id.*

⁵⁵ See *id.*

⁵⁶ See Martin, *supra* note 7, at 2.

⁵⁷ See, e.g., Christal Achille et al., *Longitudinal Impact of Gender-Affirming Endocrine Intervention on The Mental Health and Wellbeing of Transgender Youths: Preliminary Results*, 8 INT’L J PEDIATRIC ENDOCRINOLOGY 1–5 (2020), <https://pubmed.ncbi.nlm.nih.gov/32368216>; Polly Carmichael et al., *Short-Term Outcomes of Pubertal Suppression in a Selected Cohort of 12 to 15 Year Old* (continued...)

therapy to treat adolescents with gender dysphoria.⁵⁸ These studies find positive

Young People With Persistent Gender Dysphoria in the UK, 16(2) PLOS ONE e0243894 (2021), <https://pubmed.ncbi.nlm.nih.gov/33529227/>; Rosalia Costa et al., *Psychological Support, Puberty Suppression, and Psychosocial Functioning in Adolescents with Gender Dysphoria*, 12(11) J. SEXUAL MED. 2206–2214 (2015), <https://pubmed.ncbi.nlm.nih.gov/26556015/>; Annelou L.C. de Vries et al., *Puberty Suppression in Adolescents with Gender Identity Disorder: A Prospective Follow-up Study*, 8(8) J. SEXUAL MED. 2276–83 (2011), <https://pubmed.ncbi.nlm.nih.gov/20646177/>; Annelou L.C. de Vries et al., *Young Adult Psychological Outcome After Puberty Suppression And Gender Reassignment*, 134(4) PEDIATRICS 696–704 (2014), <https://pubmed.ncbi.nlm.nih.gov/25201798/>; Laura E. Kuper, et al., *Body Dissatisfaction and Mental Health Outcomes of Youth on Gender-Affirming Hormone Therapy*, 145(4) PEDIATRICS e20193006 (2020), <https://pubmed.ncbi.nlm.nih.gov/32220906/>; Jack L. Turban et al., *Pubertal Suppression For Transgender Youth And Risk of Suicidal Ideation*, 145(2) PEDIATRICS e20191725 (2020), <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7073269/>; Anna I.R. van der Miesen, *Psychological Functioning in Transgender Adolescents Before and After Gender-Affirmative Care Compared With Cisgender General Population Peers*, 66(6) J. ADOLESCENT HEALTH 699–704 (2020); Diana M. Tordoff et al., *Mental Health Outcomes In Transgender And Nonbinary Youths Receiving Gender-Affirming Care*, 5(2) JAMA NETWORK OPEN e220978 (2022), <https://pubmed.ncbi.nlm.nih.gov/35212746/>.

⁵⁸ See, e.g., Achille, *supra* note 57; Luke R. Allen et al., *Well-Being and Suicidality Among Transgender Youth After Gender-Affirming Hormones*, 7(3) CLINICAL PRAC. PEDIATRIC PSYCH. 302 (2019), <https://psycnet.apa.org/record/2019-52280-009>; Diane Chen et al., *Psychosocial Functioning in Transgender Youth after 2 Years of Hormones*, 388(3) NEW ENG. J. MED 240–50 (2023); Diego Lopez de Lara et al., *Psychosocial Assessment in Transgender Adolescents*, 93(1) ANALES DE PEDIATRIA 41–48 (English ed. 2020), <https://www.researchgate.net/publication/342652073>; Vries, *Young Adult Psychological Outcome After Puberty Suppression and Gender Reassignment*, *supra* note 57; Rittakerttu Kaltiala et al., *Adolescent Development And Psychosocial Functioning After Starting Cross-Sex Hormones For Gender Dysphoria*, 74(3) NORDIC J. PSYCHIATRY 213 (2020); Kuper, *supra* note 57; Amy (continued...)

mental health outcomes for those adolescents who received puberty blockers or hormone therapy, including statistically significant reductions in anxiety, depression, and suicidal ideation.⁵⁹

For example, a 2020 study analyzed survey data from 89 transgender adults who had access to puberty blockers while adolescents and from more than 3,400 transgender adults who did not.⁶⁰ The study found that those who received puberty blocking treatment had lower odds of lifetime suicidal ideation than those who wanted puberty blocking treatment but did not receive it, even after adjusting for demographic variables and level of family support.⁶¹ Approximately *nine in ten* transgender adults who wanted puberty blocking treatment but did not receive it

E. Green et al., *Association of Gender-Affirming Hormone Therapy with Depression, Thoughts of Suicide, and Attempted Suicide Among Transgender and Nonbinary Youth*, J. ADOLESCENT HEALTH (2021), [https://www.jahonline.org/article/S1054-139X\(21\)00568-1/fulltext](https://www.jahonline.org/article/S1054-139X(21)00568-1/fulltext); Jack L. Turban et al., *Access To Gender-Affirming Hormones During Adolescence and Mental Health Outcomes Among Transgender Adults*, J. PLOS ONE (2022), <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0261039>.

⁵⁹ The data likewise indicates that adults who receive gender-affirming care experience positive mental health outcomes. See, e.g., Zoe Aldridge et al., *Long Term Effect of Gender Affirming Hormone Treatment on Depression and Anxiety Symptoms in Transgender People: A Prospective Cohort Study*, 9 ANDROLOGY 1808–16 (2021).

⁶⁰ See Turban, *Pubertal Suppression For Transgender Youth And Risk of Suicidal Ideation*, *supra* note 57.

⁶¹ See *id.*

reported lifetime suicidal ideation.⁶² Additionally, a longitudinal study of nearly 50 transgender adolescents found that suicidality was decreased by a statistically-significant degree after receiving gender-affirming hormone treatment.⁶³ A study published in January 2023, following 315 participants age 12 to 20 who received gender-affirming hormone treatment, found that the treatment was associated with decreased symptoms of depression and anxiety.⁶⁴

As another example, a prospective two-year follow-up study of adolescents with gender dysphoria published in 2011 found that treatment with puberty blockers was associated with decreased depression and improved overall functioning.⁶⁵ A six-year follow-up study of 55 individuals from the 2011 study found that subsequent treatment with hormone therapy followed by surgery in adulthood was associated with a statistically significant decrease in depression and anxiety.⁶⁶ “Remarkably, this study demonstrated that these transgender adolescents and young adults had a sense of well-being that was equivalent or superior to that seen in age-

⁶² *See id.*

⁶³ *See Allen, supra* note 58.

⁶⁴ *See Chen, supra* note 58.

⁶⁵ *See Vries, Puberty Suppression in Adolescents with Gender Identity Disorder: A Prospective Follow-Up Study, supra* note 57.

⁶⁶ *Vries, Young Adult Psychological outcome After Puberty Suppression and gender Reassignment, supra* note 57.

matched controls from the general population.”⁶⁷

As scientists and researchers, *amici* always welcome more research, including on this crucial topic. However, the available data indicate that the gender-affirming medical care prohibited by the Healthcare Ban is effective for the treatment of gender dysphoria.

III. The Healthcare Ban Is Based on Factually Inaccurate Claims and Ignores Recommendations of the Medical Community.

To justify the Healthcare Ban, Senate Bill 14 is accompanied by a “Bill Analysis” which includes an “Author’s / Sponsor’s Statement of Intent” (“Statement of Intent”) that makes a number of claims which are factually incorrect and contradicted by the available scientific evidence discussed above.⁶⁸ In this regard, the Statement of Intent claims that most transgender youth “will grow out of {gender dysphoric} feelings with proper counseling and emotional support.”⁶⁹ This claim fails to distinguish between prepubertal children and

⁶⁷ Rosenthal, *supra* note 17, at 586.

⁶⁸ For example, Tex. S.B. 14, Bill Analysis at 1 claims that there is “significant evidence . . . that children are physically and emotionally harmed by {the} interventions {prohibited by the Healthcare Ban}.” As discussed above in Sections I & II.C, the available evidence indicates that puberty blockers and hormones are effective to treat certain adolescents with gender dysphoria as provided for in the Guidelines. *See also* Susan D. Boulware et al., *Biased Science: The Texas and Alabama Measures Criminalizing Medical Treatment for Transgender Children and Adolescents Rely on Inaccurate and Misleading Scientific Claims*, 18 (Apr. 28, 2022), https://papers.ssrn.com/sol3/papers.cfm?abstract_id=4102374.

⁶⁹ Tex. S.B. 14, Bill Analysis at 1.

adolescents, which is an important distinction. As discussed above, prepubertal children are not eligible under the Guidelines for any of the gender-affirming medical care prohibited by the Healthcare Ban.⁷⁰ The Guidelines endorse the use of gender-affirming medical care only to treat *adolescents* and *adults* with gender dysphoria, and only when the relevant criteria are met.⁷¹ There are *no* studies to support the proposition that adolescents with gender dysphoria are likely to later identify as their sex assigned at birth, whether they receive treatment or not.⁷²

On the contrary, as discussed above, “[l]ongitudinal studies have indicated that the emergence or worsening of gender dysphoria with pubertal onset is associated with a very high likelihood of being a transgender adult.”⁷³ Moreover, while detransitioning may occur for many reasons, detransitioning is not the same as regret. An individual who detransitions—the definition of which varies from study to study⁷⁴—does *not* necessarily do so because they have come to identify with

⁷⁰ See *supra* Section II.A.1.

⁷¹ See Endocrine Soc’y Guidelines, *supra* note 25, at 3871, 3879; WPATH Guidelines, *supra* note 25, at S32, S48.

⁷² See, e.g., Adelson, *supra* note 16.

⁷³ Rosenthal, *supra* note 17, at 585.

⁷⁴ Michael S. Irwig, *Detransition Among Transgender and Gender-Diverse People—An Increasing and Increasingly Complex Phenomenon*, J. CLINICAL ENDOCRINOLOGY & METABOLISM 1, 1 (June 2022), <https://pubmed.ncbi.nlm.nih.gov/35678284> (“Detransition refers to the stopping or reversal of transitioning which could be social (gender presentation, pronouns), medical (hormone therapy), surgical, or legal.”).

their sex assigned at birth. Instead, the most common reported factors that contribute to a person’s choice to detransition, are factors such as pressure from parents and discrimination.⁷⁵

IV. The Healthcare Ban Would Irreparably Harm Many Adolescents with Gender Dysphoria By Denying Them the Treatment They Need.

The Healthcare Ban denies adolescents with gender dysphoria in Texas access to medical care that is designed to improve health outcomes and alleviate suffering, and that is grounded in science and endorsed by the medical community. The gender-affirming medical care prohibited by the Healthcare Ban can be a crucial part of treatment for adolescents with gender dysphoria and necessary to preserve their health.

As discussed above, research shows that adolescents with gender dysphoria who receive puberty blockers and/or hormone therapy experience less depression, anxiety, and suicidal ideation.⁷⁶ Several studies have found that hormone therapy is associated with reductions in the rate of suicide attempts and significant improvement in quality of life.⁷⁷ In light of this evidence supporting the connection

⁷⁵ See *id.* (discussing “largest study to look at detransition”).

⁷⁶ See *supra* Section II.C.

⁷⁷ See M. Hassan Murad et al., *Hormonal Therapy and Sex Reassignment: A Systematic Review and Meta-Analysis of Quality of Life and Psychosocial Outcomes*, 72(2) CLINICAL ENDOCRINOLOGY 214 (Feb. 2010), <https://onlinelibrary.wiley.com/doi/10.1111/j.1365-2265.2009.03625.x>; see also (continued...)

between lack of access to gender-affirming medical care and lifetime suicide risk, banning such care can put patients' lives at risk.

CONCLUSION

For the foregoing reasons, this Court should affirm the trial court's temporary injunction and allow this case to be decided on the merits.

Respectfully submitted, this 5th day of January, 2024:

/s/ David S. Coale

Cortlin H. Lannin (*pro hac vice*
forthcoming)
COVINGTON & BURLING LLP
Salesforce Tower
415 Mission St., Suite 5400
San Francisco, CA 94105
Phone: (415) 591-6000
clannin@cov.com

D. Jean Veta (*pro hac vice* forthcoming)
William Isasi (*pro hac vice* forthcoming)
Noah S. Goldberg (*pro hac vice*
forthcoming)
COVINGTON & BURLING LLP
One CityCenter, 850 Tenth St., N.W.
Washington, D.C. 20001
Phone: (202) 662-6000
jveta@cov.com
wisasi@cov.com
ngoldberg@cov.com

David S. Coale
Texas Bar No. 00787255
Kyle Gardner
Texas Bar No. 24116412
**LYNN PINKER HURST &
SCHWEGMANN LLP**
2100 Ross Avenue, Suite 2700
Dallas, Texas 75201
Phone: (214) 981-3800
dcoale@lynnllp.com
kgardner@lynnllp.com

Counsel for Amici Curiae

Turban, Pubertal Suppression For Transgender Youth And Risk of Suicidal Ideation, supra note 57.

CERTIFICATE OF COMPLIANCE

According to Microsoft Word, this document contains 4,900 words,
excluding exempted text.

/s/ David S. Coale
David S. Coale

CERTIFICATE OF SERVICE

I hereby certify that the foregoing Brief was served by electronic service
upon counsel of record on January 5, 2024.

/s/ David S. Coale
David S. Coale

Automated Certificate of eService

This automated certificate of service was created by the eFiling system.
The filer served this document via email generated by the eFiling system
on the date and to the persons listed below:

David Coale on behalf of David Coale

Bar No. 787255

dcoale@lynnllp.com

Envelope ID: 83135549

Filing Code Description: Amicus Brief

Filing Description: Brief of Amici Curiae American Academy of Pediatrics,
et al. in Support of Appellees and Affirmance

Status as of 1/5/2024 3:03 PM CST

Case Contacts

Name	BarNumber	Email	TimestampSubmitted	Status
Paul Castillo	24049461	pcastillo@lambdalegal.org	1/5/2024 2:58:40 PM	SENT
Kennon Wooten	24046624	kwooten@scottdoug.com	1/5/2024 2:58:40 PM	SENT
David Coale	787255	dcoale@lynnllp.com	1/5/2024 2:58:40 PM	SENT
Allissa Aileen Pollard	24065915	allissa.pollard@arnoldporter.com	1/5/2024 2:58:40 PM	SENT
Natalie Thompson	24088529	natalie.thompson@oag.texas.gov	1/5/2024 2:58:40 PM	SENT
Rosalinda Luna		Rosalinda.Luna@oag.texas.gov	1/5/2024 2:58:40 PM	SENT
Adriana Pinon	24089768	apinon@aclutx.org	1/5/2024 2:58:40 PM	SENT
Brian Klosterboer	24107833	bklosterboer@aclutx.org	1/5/2024 2:58:40 PM	SENT
Lanora Pettit	24115221	lanora.pettit@oag.texas.gov	1/5/2024 2:58:40 PM	SENT
Kyle Gardner	24116412	kgardner@lynnllp.com	1/5/2024 2:58:40 PM	SENT
Lauren Ditty	24116290	lditty@scottdoug.com	1/5/2024 2:58:40 PM	SENT
Chloe Kempf	24127325	chloenkempf@gmail.com	1/5/2024 2:58:40 PM	SENT
Valeria Alcocer		valeria.alcocer@oag.texas.gov	1/5/2024 2:58:40 PM	SENT
Omar Gonzalez-Pagan		Ogonzalez-pagan@lambdalegal.org	1/5/2024 2:58:40 PM	SENT
Charles KEldred		charles.eldred@oag.texas.gov	1/5/2024 2:58:40 PM	SENT
Heather Dyer		heather.dyer@oag.texas.gov	1/5/2024 2:58:40 PM	SENT
Johnathan Stone		johnathan.stone@oag.texas.gov	1/5/2024 2:58:40 PM	SENT
Angela Goldberg		agoldberg@scottdoug.com	1/5/2024 2:58:40 PM	SENT
Grace Ojionuka		grace.ojionuka@arnoldporter.com	1/5/2024 2:58:40 PM	SENT
Susie Smith		ssmith@scottdoug.com	1/5/2024 2:58:40 PM	SENT
Lori Leskin		Lori.Leskin@arnoldporter.com	1/5/2024 2:58:40 PM	SENT
Jordan Kadjar		jkadjar@scottdoug.com	1/5/2024 2:58:40 PM	SENT
Sasha Buchert		sbuchert@lambdalegal.org	1/5/2024 2:58:40 PM	SENT

Automated Certificate of eService

This automated certificate of service was created by the eFiling system. The filer served this document via email generated by the eFiling system on the date and to the persons listed below:

David Coale on behalf of David Coale

Bar No. 787255

dcoale@lynnllp.com

Envelope ID: 83135549

Filing Code Description: Amicus Brief

Filing Description: Brief of Amici Curiae American Academy of Pediatrics, et al. in Support of Appellees and Affirmance

Status as of 1/5/2024 3:03 PM CST

Case Contacts

Sasha Buchert		sbuchert@lambdalegal.org	1/5/2024 2:58:40 PM	SENT
Karen Loewy		kloewy@lambdalegal.org	1/5/2024 2:58:40 PM	SENT
Harper Seldin		hseldin@aclu.org	1/5/2024 2:58:40 PM	SENT
Lynly Egyes		lynly@transgenderlawcenter.org	1/5/2024 2:58:40 PM	SENT
Milo Inglehart		milo@transgenderlawcenter.org	1/5/2024 2:58:40 PM	SENT
Shawn Meerkamper		shawn@transgenderlawcenter.org	1/5/2024 2:58:40 PM	SENT
Dale Melchert		dale@transgenderlawcenter.org	1/5/2024 2:58:40 PM	SENT
Elizabeth Gill		egill@aclunc.org	1/5/2024 2:58:40 PM	SENT
Cortlin Lannin		clannin@cov.com	1/5/2024 2:58:40 PM	SENT
D. Veta		jveta@cov.com	1/5/2024 2:58:40 PM	SENT
William Isasi		wisasi@cov.com	1/5/2024 2:58:40 PM	SENT
Noah Goldberg		ngoldberg@cov.com	1/5/2024 2:58:40 PM	SENT
Michele Clanton-Lockhart		mclanton@lambdalegal.org	1/5/2024 2:58:40 PM	SENT